



Primary Batteries



Rechargeable Batteries



Battery Chargers

Product Catalogue



Over 135 Years of Electric Innovation

For more than a century, Westinghouse has consistently provided innovative, reliable, high-quality products and customer service. It's a combination of groundbreaking technology and rock-solid dependability that's made us one of the world's most trusted brands.

From outdoor portable generators that provide power for your home, work and play moments, to high-definition TVs that are setting new standards for performance, we're constantly developing advanced products, rigorously testing them to make sure they work time after time, day after day.

When you see the W, you know you're getting a product packed with features that make your life easier, while still being easy to use. A product that has all the latest thinking, while providing years of value.

From a company that always puts you first.



Contents

Primary Batteries 04

Dynamo Alkaline
Plus Alkaline
Super Heavy Duty

Button Cell Batteries 11

Alkaline 1.5V
Lithium Coin 3V
Alkaline 12V
Zinc Air For Hearing Aid 1.45V

Rechargeable Batteries 14

Ni-MH Rechargeable
Lawn Lamp Rechargeable

Battery Chargers 17



Primary Batteries

Dynamo Alkaline

The Westinghouse Dynamo Alkaline Battery is inspired by the original Westinghouse Dynamo and offers the maximum possible capacity of single-use batteries. Offering long-lasting power and a shelf life of 10 years, the Westinghouse Dynamo Alkaline Battery delivers a stable current ideal for high drain devices.



Features

- Lasting power for high-drain devices
- Shelf life lasting up to 10 years*
- Mercury, cadmium and lead free


*When not in use; based on lab tests; for AA and AAA size.

Main Uses


Cameras, Wireless Mouse & Keyboard, Game Controller, Shavers, Toys, and more



AAA Packs



Model: LR03-BP4
Packing: 4 PCS/PK
Carton: 192 PKS



Model: LR03-BP8
Packing: 8 PCS/PK
Carton: 96 PKS



Model: LR03-DBP12
Packing: 12 PCS/PK
Carton: 48 PKS



Model: LR03-DBP24
Packing: 24 PCS/PK
Carton: 24 PKS



Model: LR03-PBH24
Packing: 24 PCS/PK
Carton: 24 PKS




Model: LR03-PB24
Packing: 24 PCS/PK
Carton: 24 PKS



Model: LR03-AAAPB48
Packing: 48 PCS/PK
Carton: 24 PKS

AA Packs




Model: LR6-BP4
Packing: 4 PCS/PK
Carton: 96 PKS



Model: LR6-BP8
Packing: 8 PCS/PK
Carton: 48 PKS



Model: LR6-DBP12
Packing: 12 PCS/PK
Carton: 24 PKS



Model: LR6-DBP24
Packing: 24 PCS/PK
Carton: 12 PKS



Model: LR6-PBH24
Packing: 24 PCS/PK
Carton: 12 PKS



Model: LR6-PB24
Packing: 24 PCS/PK
Carton: 12 PKS



Model: LR6-AAPB48
Packing: 48 PCS/PK
Carton: 12 PKS

C Packs



Model: LR14-BP2
Packing: 2 PCS/PK
Carton: 96 PKS



Model: LR14-PB6
Packing: 6 PCS/PK
Carton: 24 PKS

D Packs



Model: LR20-BP2
Packing: 2 PCS/PK
Carton: 48 PKS



Model: LR20-PB6
Packing: 6 PCS/PK
Carton: 12 PKS

9V Packs



Model: 6LR61-BP1
Packing: 1 PC/PK
Carton: 96 PKS



Model: 6LR61-PB6
Packing: 6 PCS/PK
Carton: 24 PKS

Family Packs



Model: WH-FA-03
Packing: 28 PCS/PK
Carton: 10 PKS

Size	LR6 (AA)	LR03 (AAA)	6LR61 (9V)	LR14 (C)	LR20 (D)
Pcs	10	8	2	4	4



Plus Alkaline

Westinghouse Plus Alkaline Batteries are designed to meet your every day needs. They stand out with reliability and extended run times, making them perfect choice for electronic devices for constant energy demands.




Features

- Long-lasting and reliable power performance
- 5-year shelf life
- Anti-corrosion & leak-proof
- Mercury & cadmium free

Main Uses

Remote Controls, Toys, Smart Locks, Sensors,
Electronic Gaming Devices






Model: LR03-BP4N
Packing: 4 PCS/PK
Carton: 192 PKS



Model: LR6-BP4N
Packing: 4 PCS/PK
Carton: 96 PKS



Model: LR03-BP8N
Packing: 8 PCS/PK
Carton: 96 PKS



Model: LR6-BP8N
Packing: 8 PCS/PK
Carton: 48 PKS



Model: LR14-BP2N
Packing: 2 PCS/PK
Carton: 96 PKS



Model: LR20-BP2N
Packing: 2 PCS/PK
Carton: 48 PKS



Model: 6LR61-BP1N
Packing: 1 PC/PK
Carton: 96 PKS

* Reference Images for New Design



Model: LR03-SP4N
Packing: 4 PCS/PK
Carton: 300 PKS



Model: LR6-SP4N
Packing: 4 PCS/PK
Carton: 180 PKS



Model: LR6-SP10N
Packing: 10 PCS/PK
Carton: 40 PKS



Model: LR03-SP10N
Packing: 10 PCS/PK
Carton: 80 PKS



Model: LR14-SP2N
Packing: 2 PCS/PK



Model: LR20-SP2N
Packing: 2 PCS/PK



Model: 6LR61-SP1N
Packing: 1 PC/PK
Carton: 240 PKS



Online Sales Package Solution


Westinghouse provides availability for our distributors and retailers with efficient online sales package solutions, aiming to engage more online interactions with consumers. 24/7 online shopping goes beyond time and space, which has a competitive advantage versus physical in-store shopping, and brings more market exploration opportunities.



Model: LR03-CB24
Packing: 24 PCS/PK
Carton: 48 PKS



Model: LR6-CB24
Packing: 24 PCS/PK
Carton: 24 PKS



Model: LR03-CB36
Packing: 36 PCS/PK
Carton: 32 PKS



Model: LR6-CB36
Packing: 36 PCS/PK
Carton: 16 PKS



Model: LR03-CB48
Packing: 48 PCS/PK
Carton: 24 PKS



Model: LR6-CB48
Packing: 48 PCS/PK
Carton: 12 PKS

Super Heavy Duty

The Westinghouse Super Heavy Duty Battery provides you with cost-effective power for a wide range of low drain devices. It is the ideal choice of battery for devices such as LED flashlights, radio cassettes players, recorders, remote controls and clocks.




Features

- Reliable and cost-effective power
- Mercury and cadmium free

Main Uses

Clocks, Flashlights, Remote Controls, Recorders, Transistor Radios, and more





AAA Packs



Model: R03P-BP4
Packing: 4 PCS/PK
Carton: 288 PKS



Model: R03P-BP8
Packing: 8 PCS/PK
Carton: 144 PKS



Model: R03P-BP16
Packing: 16 PCS/PK
Carton: 72 PKS



Model: R03P-BP24
Packing: 24 PCS/PK
Carton: 48 PKS



Model: R03P-PBH24
Packing: 24 PCS/PK
Carton: 48 PKS



Model: R03P-SP48
Packing: 48 PCS/PK
Carton: 24 PKS



Model: R03P-PB24
Packing: 24 PCS/PK
Carton: 48 PKS

AA Packs



Model: R6P-BP4
Packing: 4 PCS/PK
Carton: 144 PKS




Model: R6P-BP8
Packing: 8 PCS/PK
Carton: 72 PKS



Model: R6P-BP16
Packing: 16 PCS/PK
Carton: 48 PKS



Model: R6P-BP24
Packing: 24 PCS/PK
Carton: 36 PKS



Model: R6P-PBH24
Packing: 24 PCS/PK
Carton: 24 PKS



Model: R6P-SP48
Packing: 48 PCS/PK
Carton: 12 PKS



Model: R6P-PB24
Packing: 24 PCS/PK
Carton: 24 PKS

C Packs



Model: R14P-BP2
Packing: 2 PCS/PK
Carton: 144 PKS



Model: R14P-PB4
Packing: 4 PCS/PK
Carton: 48 PKS



Model: R20P-BP2
Packing: 2 PCS/PK
Carton: 72 PKS



Model: R20P-PB4
Packing: 4 PCS/PK
Carton: 24 PKS

9V Packs



Model: 6F22-BP1
Packing: 1 PC/PK
Carton: 240 PKS



Model: 6F22-BP2
Packing: 2 PCS/PK
Carton: 144 PKS



Model: 6F22-PB6
Packing: 6 PCS/PK
Carton: 48 PKS

Button Cell Batteries

Westinghouse Button Cells are all mercury and cadmium free and provide reliable energy for your devices. Available in lithium, alkaline and zinc air.

0% Lead
Mercury
Cadmium

**Green
Energy**

Alkaline 1.5V



Model: LR60-BP2
Packing: 2 PCS/PK
Carton: 960 PKS



Model: LR44-BP2
Packing: 2 PCS/PK
Carton: 960 PKS

Features

- Delivers stable output
- Broad range of uses
- Mercury and cadmium free

Main Uses

Calculators, Electronic Toys, Remote Controls, Mini Radios, and more

Industrial Classifications

Westinghouse	Camelion	IEC	Common	Other
LR63	AG0	LR63	379 / 179	LR521
LR60	AG1	LR60	363 / 364 / 164	LR621
LR59	AG2	LR59	396 / 397 / 196	LR726
LR41	AG3	LR41	384 / 392 / 192	LR736
LR66	AG4	LR66	376 / 377 / 177	LR626
LR48	AG5	LR48	309 / 393 / 193	LR754
LR69	AG6	LR69	370 / 371 / 171	LR921
LR57	AG7	LR57	395 / 399 / 195	LR927
LR55	AG8	LR55	381 / 391 / 191	LR1120
LR45	AG9	LR45	394 / 194	LR936
LR54	AG10	LR54	389 / 390 / 189	LR1130
LR58	AG11	LR58	361 / 362 / 162	LR721
LR43	AG12	LR43	301 / 386 / 186	LR1142
LR44	AG13	LR44	303 / 357 / A76	LR1154

Alkaline 12V



Model: A23-BP1
Packing: 1PC/PK
Carton: 480 PKS



Model: A27-BP1
Packing: 1PC/PK
Carton: 480 PKS

Features

- Long-lasting
- Stable output voltage
- Mercury and cadmium free

Main Uses

Car Keys, Keyless Entry Remotes, Garage Door Remotes, Other Electronic Devices, and more





Lithium Coin 3V




Features

- Delivers high energy performance
- Shelf life lasting up to 8 years*
- Operating temperature range from -20°C to +55°C

*When not in use; based on lab tests

Main Uses

Car Keys, Computers, Electronic Scales, Calculators, Thermometers, and more



Model: CR2016-BP1
Packing: 1 PC/PK
Carton: 480 PKS



Model: CR2032-BP5
Packing: 5 PCS/PK
Carton: 360 PKS

Item	Packaging WxHxD (mm)	Inner Box LxWxH (mm)	Shipping Carton LxWxH (CM)	G.W.(KG)	Volume(CBM)
CR2450-BP1	56*92*6 1 PC/Blister	95*82*58 24 Packs	31.5*21*19 480 Packs	4.93	0.0126
CR2032-BP1	56*92*6 1 PC/Blister	95*82*58 24 Packs	31.5*21*19 480 Packs	3.39	0.0126
CR2025-BP1	56*92*6 1 PC/Blister	95*82*58 24 Packs	31.5*21*19 480 Packs	3.15	0.0126
CR2016-BP1	56*92*6 1 PC/Blister	95*82*58 24 Packs	31.5*21*19 480 Packs	2.81	0.0126
CR2477-BP1	56*92*6 1 PC/Blister	100*55*58 10 Packs	32*24*25.8 480 Packs	6.95	0.0198
CR2430-BP1	56*92*6 1 PC/Blister	95*82*58 24 Packs	31.5*21*19 480 Packs	4.07	0.0126
CR2330-BP1	56*92*6 1 PC/Blister	95*82*58 24 Packs	31.5*21*19 480 Packs	4.30	0.0126
CR2032-BP5	55*190 5 PC/Blister	190*30*57 10 Packs	29.5*22*25 360 Packs	8.68	0.0162
CR2025-BP5	55*190 5 PC/Blister	190*30*57 10 Packs	29.5*22*25 360 Packs	7.58	0.0162
CR2016-BP5	55*190 5 PC/Blister	190*30*57 10 Packs	29.5*22*25 360 Packs	6.70	0.0162
CR1632-BP5	55*190 5 PC/Blister	190*30*57 10 Packs	29.5*22*25 360 Packs	6.70	0.0162
CR1620-BP5	55*190 5 PC/Blister	190*30*57 10 Packs	29.5*22*25 360 Packs	5.44	0.0162
CR1220-BP5	55*190 5 PC/Blister	190*30*57 10 Packs	29.5*22*25 360 Packs	4.54	0.0162

Zinc Air For Hearing Aid 1.45V



Features

- Ideal battery for hearing aids
- Long-lasting
- Stable output voltage
- Mercury and cadmium free



Model: A10-BP6
Packing: 6 PCS/PK
Carton: 200 PKS



Model: A13-BP6
Packing: 6 PCS/PK
Carton: 200 PKS



Model: A312-BP6
Packing: 6 PCS/PK
Carton: 200 PKS



Model: A675-BP6
Packing: 6 PCS/PK
Carton: 200 PKS

Item	Packaging WxHxD (mm)	Inner Box LxWxH (mm)	Shipping Carton LxWxH (CM)	G.W.(KG)	Volume(CBM)
A10-BP6	48*90*4.5	92*32*50	26*19.2*7.8	1.0	0.0039
A13-BP6	48*90*6.5	92*42*50	26*19.2*9.8	1.7	0.0049
A312-BP6	48*90*4.5	92*32*50	26*19.2*7.8	1.3	0.0039
A675-BP6	48*90*6.5	92*42*50	26*19.2*9.8	2.9	0.0049



Rechargeable Batteries

Ni-MH Rechargeable Battery

The Westinghouse Ni-MH Rechargeable Battery provides high-quality green energy with excellent performance. The MAX Series is ideal for professionals and the PREMIUM Series is perfect for your day-to-day needs.



**Green
Energy**

MAX Series

- Maximum capacity
- Pre-charged & ready-to-use
- Environmentally friendly
- Ideal for professionals
- Series Includes: NH-AA2400
NH-AAA1000



PREMIUM Series


- Premium power to meet your everyday needs
- Holds charge up to 5 years
- Recharge up to 2000 times
- Pre-charged & ready-to-use
- Environmentally friendly
- Series Includes: NH-AA2100
NH-AA1000
NH-AAA800
NH-D2500
NH-C2500
NH-9V200



MAX Packs




Model:
NH-AAA1000ARBP2-MAX
Packing: 2 PCS/PK
Carton: 192 PKS



Model:
NH-AAA1000ARBP4-MAX
Packing: 4 PCS/PK
Carton: 96 PKS



Model:
NH-AA2400ARBP2-MAX
Packing: 2 PCS/PK
Carton: 96 PKS



Model:
NH-AA2400ARBP4-MAX
Packing: 4 PCS/PK
Carton: 48 PKS

PREMIUM Packs




Model:
NH-AAA800ARBP2
Packing: 2 PCS/PK
Carton: 192 PKS



Model:
NH-AAA800ARBP4
Packing: 4 PCS/PK
Carton: 96 PKS




Model:
NH-AA1000ARBP2
Packing: 2 PCS/PK
Carton: 96 PKS



Model:
NH-AA1000ARBP4
Packing: 4 PCS/PK
Carton: 48 PKS



Model:
NH-AA2100ARBP2
Packing: 2 PCS/PK
Carton: 96 PKS



Model:
NH-AA2100ARBP4
Packing: 4 PCS/PK
Carton: 48 PKS



Model:
NH-C2500ARBP2
Packing: 2 PCS/PK
Carton: 48 PKS



Model:
NH-D2500ARBP2
Packing: 2 PCS/PK
Carton: 48 PKS



Model:
NH-9V200ARBP1
Packing: 1 PC/PK
Carton: 96 PKS



Lawn Lamp Rechargeable Battery

The Westinghouse Ni-MH Rechargeable Battery adopts high-quality materials and special technology. The battery offers long lifespan and can be recharged for thousands cycles. An outstanding storage period of 2 years and wide operating temperature range make it ideal for solar lawn lamps, landscape lights and garden lights.

Ni-MH Rechargeable Battery



Features

- Superior long-lasting lifespan: Up to 1,500 charge cycles.
- Extremely low self-discharge rate: Remain 80% power after 2-year storage (fully charged battery)
- Wide operating temperature range: -20°C (-4°F) to 60°C (140°F)
- Series Includes: NH-AA600AR, NH-AAA350AR



Model:
NH-AAA350ARBP1



Model:
NH-AA600ARBP1

Battery Chargers

The Westinghouse Battery Charger is engineered for reliability and efficiency, with added value such as intelligent charge control, multiple protection features, and LED indicators. Finding an appropriate battery charger solution for most Lithium Ion, Ni-MH, Ni-Cd, is easily accomplished among Westinghouse chargers.



Multiple Levels
of Safety
Protection



LED Charging
Indicators




4
Charging
Channels

Features

- Compact & Easy to use
- Safe & Efficient
- Applicable for most power needs in life

Main Uses

Ni-MH Batteries, Ni-Cd Batteries,
Lithium Ion Batteries





Charges:

1-4 x AA
1-4 x AAA
1-4 x C
1-4 x D
1-2 x 9V

Ni-MH



CAN ICES-3(B)/NMB-3(B)

WBC-1043MC

Main Features

- 6 independent charging channels
- Suitable for AA, AAA, C, D or 9V size Ni-MH rechargeable batteries
- Intelligent control system
- LED charging indicators
- 6 levels of safety protection:
 - Timer-control Protection, Reverse Polarity Protection, ΔV Cut-off, Short-circuit Protection, Defective & Non-rechargeable Battery Detection, Battery Refresh Function

Specifications

Input: 5V $\equiv$ 1.0A

Output: 1 $\times$ 1.4V $\equiv$ 1A (AA/AAA/C/D)

2 $\times$ 1.4V $\equiv$ 0.6A (AA/AAA/C/D)

3 $\times$ 1.4V $\equiv$ 0.4A (AA/AAA/C/D)

4 $\times$ 1.4V $\equiv$ 0.3A (AA/AAA/C/D)

1 $\times$ 9V $\equiv$ 0.07A (9V block)

2 $\times$ 9V $\equiv$ 0.04A (9V block)

Dimensions: 195x93x53.2 mm

Charges:

1-4 x AA
1-4 x AAA

Ni-MH



CAN ICES-3(B)/NMB-3(B)

WBC-1046

Main Features

- 4 independent charging channels
- Suitable for AA or AAA size Ni-MH rechargeable batteries
- LCD screen indication
- 7 levels of safety protection: Timer-control Protection, Reverse Polarity Protection, ΔV Cut-off, Trickle Charge Protection, Short-circuit Protection, Over Temperature Protection, and Over Current Protection

Specifications

Input: 5V $\equiv$ 2.0A

Output: 1.4V $\equiv$ 1.0A (Side Channels)

1.4V $\equiv$ 0.5A (Middle Channels)

Timer Control: 4/8 hrs

Dimensions: 100x68x27 mm

Charges:

2 x AA
2 x AAA

Ni-MH



CAN ICES-3(B)/NMB-3(B)

WBC-1056T

Main Features

- Suitable for 2 pcs AA / AAA Ni-MH rechargeable batteries
- Reverse polarity protection, over voltage protection and safety timer control protection
- Charging indicator
- USB-C port input

Specifications

Input: 5V $\approx$ 1A 5W Max

Output: AA: 2.4V $\approx$ 0.35A

AAA: 2.4V $\approx$ 0.15A

Safety Timer Control: 10 hours*

Dimensions: 90x35x23.3 mm

*The charging stops automatically after 10 hours to avoid overcharging the battery

Charges:

1-2 x AA
1-2 x AAA

Ni-MH



CAN ICES-3(B)/NMB-3(B)

WBC-0812T

Main Features

- 2 independent charging channels
- Suitable for AA or AAA size Ni-MH rechargeable batteries
- LED charging indicators
- 3 levels of safety protection:
 - Safety timer control protection
 - Over voltage protection
 - Reverse polarity protection

Specifications

Input: 5V $\approx$ 1.0A

Output: AA: 2 x (1.4V $\approx$ 0.2A)

AAA: 2 x (1.4V $\approx$ 0.1A)

Safety Timer Control: 9.5 hrs

Dimensions: 75x36.5x26.5 mm



Charges:

1-4 × AA

1-4 × AAA

Ni-MH



CAN ICES-3(B)/NMB-3(B)

WBC-1057M

Main Features

- Smart Charger with an Intelligent MCU
- 4 Independent Charging Channels
 - Suitable for 1-4 pcs AA / AAA Ni-MH rechargeable batteries
- 6 Levels of Safety Protection:
 - ΔV cut off
 - Reverse polarity protection
 - Safety timer control protection
 - Over voltage protection
 - Short-circuit protection
 - Defective & non-rechargeable battery detection
- USB-C Input

Specifications

Input: 5V $\equiv$ 1.5A

Output: AA: 1.2V $\equiv$ 0.5A (1-4 pcs)

AAA: 1.2V $\equiv$ 0.2A (1-4 pcs)

Dimensions: 90×65×24 mm

Packing Details

Type	Blister		Inner Box		Shipping Carton		G.W.	Volume
	Batteries	W x H x D	Blister	W x H x D	Blister	W x H x D		
	pcs	mm	packs	cm	packs	cm		
Dynamo Alkaline								
LR20-BP2	2	90*117*34	12	22.0*15.5*9.7	48	32.5*21.0*24.0	14.5	0.0164
LR14-BP2	2	90*117*27	12	17.5*13.5*9.7	96	36.5*28.5*21.5	14.8	0.0224
LR6-BP4	4	90*117*15	24	20.5*13.5*9.7	96	28.5*21.0*20.5	10.7	0.0123
LR6-BP8	8	90*117*29	12	19.0*13.5*9.7	48	29.0*21.0*21.0	10.0	0.0128
LR03-BP4	4	90*117*11	24	15.5*12.5*9.7	192	32.5*26.5*21.5	10.8	0.0185
LR03-BP8	8	90*117*22	12	14.5*12.5*9.7	96	30.5*26.5*21.5	10.3	0.0174
6LR61-BP1	1	90*117*18	24	24.5*13.0*9.7	96	27.5*26.0*21.5	5.6	0.0154
LR20-PB6	6	123*84*62	6	26.0*25.5*7.0	12	27.5*27.0*16.5	10.7	0.0123
LR14-PB6	6	98*65*50	6	20.5*20.5*6.0	24.0	43.0*22.0*14.5	10.7	0.0137
LR6-PB24	24	98*75*51	6	23.5*20.2*5.8	12	25.0*22.0*14.0	7.4	0.0077
LR03-PB24	24	76*60*44	6	19.0*16.0*5.1	24	34*20.5*13	7.3	0.0091
LR6-AAAPB48	48	178*119*33	/	/	12	37.5*25.8*12.5	15	0.0121
LR03-AAAPB48	48	134*107*25	/	/	24	28.8*23.5*17.5	15.9	0.0118
6LR61-PB6	6	71*68*49	6	21.0*15.0*6.0	24	31.5*22.5*14.5	7.3	0.0103
LR6-PBH24	24	108*92*32	N/A	/	12	23.5*20.5*12	7.6	0.0058
LR03-PBH24	24	96*70*26	N/A	/	24	30.0*21.5*10.5	7.6	0.0068
LR6-DBP24	24	187*119*36	6	13.0*13.0*19.0	12	27.5*21.5*15.0	7.8	0.0087
LR03-DBP24	24	162*110*29	12	21.0*12.0*16.6	24	25.5*18.0*23.0	7.6	0.0106
LR6-DBP12	12	100*119*36	12	26.0*10.8*13.5	24	23.5*15.0*28.0	7.8	0.0099
LR03-DBP12	12	100*110*29	12	21.8*10.8*12.0	48	26.0*23.0*24.0	7.4	0.0144
WH-FA-O3	28	25.5 *17.3 *3.7	/	/	10	35.8 *26.7*21.5	8.0	0.0206
LR03-CB24	/	/	24 (PCS)	12.4*9.0*11.0	48	28.5*26.5*10.8	14.25	0.0106
LR6-CB24	/	/	24 (PCS)	17.0*10.2*15.0	24	35.5*22.0*11.0	14.4	0.0099
LR03-CB36	/	/	36 (PCS)	18.6*9.0*11.0	32	37.5*20.0*10.8	14.0	0.0144
LR6-CB36	/	/	36 (PCS)	25.3*10.2*15.0	16	26.8 *22.0*14.0	14.0	0.0206
Plus Alkaline								
LR03-BP4N	4	90*117*11	24	15.5*12.5*9.7	192	32.5*26.5*21.5	10.8	0.0185
LR6-BP4N	4	90*117*15	24	20.5*13.5*9.7	96	28.5*21.0*20.5	10.7	0.0123
R14P-BP2N	2	90*117*27	12	17.5*13.5*9.7	144	42.0*36.5*21.5	14.9	0.0330
LR20-BP2N	2	90*117*34	12	22.0*15.5*9.7	48	32.5*21.0*24.0	14.5	0.0164
6LR61-BP1N	1	90*117*18	24	24.5*13.0*9.7	96	27.5*26.0*21.5	5.6	0.0154
Super Heavy Duty								
R20P-BP2	2	90*117*34	12	22.0*15.5*9.7	72	32.5*31.0*24.0	14.0	0.0242
R20P-BP4	4	90*190*34	6	30.0*11.0*10.0	36	32.0*31.5*24.0	14.3	0.0242
R14P-BP2	2	90*117*27	12	17.5*13.5*9.7	144	42.0*36.5*21.5	14.9	0.0330
R14P-BP4	4	90*165*27	6	24.0*9.0*10.0	72	50.0*32.0*20.0	14.0	0.0320
R6P-BP4	4	90*117*15	24	19.0*13.4*9.7	144	31.1*29.0*21.5	9.7	0.0194
R6P-BP8	8	90*117*29	12	19.0*13.5*9.7	72	31.0*28.5*21.0	9.7	0.0186
R6P-BP16	16	137*117*29	12	20.0*14.5*15.0	48	32.0*31.0*22.0	12.9	0.0218
R6P-BP24	24	195*117*29	6	20.0*10.5*15.0	36	46.5*21.5*23.0	14.3	0.0230
RO3P-BP4	4	90*117*11	24	15.5*12.5*9.7	288	39.5*32.5*21.5	11.7	0.0276
RO3P-BP8	8	90*117*22	12	14.5*12.5*9.7	144	39.5*30.5*21.5	10.9	0.0259
RO3P-BP16	16	108*117*22	12	16.0*11.5*13.5	72	36.5*29.0*18.0	10.6	0.0191
RO3P-BP24	24	150*117*22	12	15.5*15.5*13.5	48	33.0*29.0*17.5	10.4	0.0167
6F22-BP1	1	90*117*18	24	24.5*13.0*9.7	240	51.0*27.5*26.5	11.2	0.0372
6F22-BP2	2	90*117*18	24	24.5*13.0*9.7	144	31.0*27.5*26.5	12.1	0.0226
R20P-PB4	4	89*84*62	6	26.0*18.5*7.0	24	38.5*27.5*16.5	9.5	0.0175
R14P-PB4	4	73*68*50	6	21.0*15.0*6.0	48	44.0*32.0*14.5	9.8	0.0204
R6P-PB24	24	98*75*50	6	23.5*20.0*5.8	24	42.5*25.0*14.0	9.5	0.0149
RO3P-PB24	24	76*60*44	6	19.0*16.0*5.1	48	40.0*34.0*12.5	10.2	0.0170
6F22-PB6	6	71*68*49	6	21.0*15.0*6.0	48	44.0*32.0*14.5	11.7	0.0204
R6P-PBH24	24	108*92*32	N/A	/	24	39*23.5*12	9.8	0.0110
RO3P-PBH24	24	96*70*26	N/A	/	48	44.0*21.5*12.5	10.7	0.0118
R6-SP48	48	171*56*51	N/A	/	25	31.0*27.0*19.0	17	0.0159
RO3-SP48	48	123*40*45	N/A	/	25	24.0*23.5*14.5	9.0	0.0082



Type	Blister		Inner Box		Shipping Carton		G.W.	Volume
	Batteries	W x H x D	Blister	W x H x D	Blister	W x H x D		
	pcs	mm	packs	cm	packs	cm		
Lithium Coin 3V								
CR2450-BP1	1	56*92*6	24	9.5*8.2*5.8	480	31.5*21.0*19.0	4.9	0.0126
CR2032-BP1	1	56*92*3	24	9.5*8.2*5.8	480	31.5*21.0*19.0	3.4	0.0126
CR2025-BP1	1	56*92*3	24	9.5*8.2*5.8	480	31.5*21.0*19.0	5.2	0.0126
CR2016-BP1	1	56*92*3	24	9.5*8.2*5.8	480	31.5*21.0*19.0	2.8	0.0126
CR2032-BP5	5	55*190*6	10	19.0*3.0*5.7	360	29.5*22.0*19.0	8.7	0.0162
CR2025-BP5	5	55*190*6	10	19.0*3.0*5.7	360	31.5*21.0*25.0	7.6	0.0162
CR2016-BP5	5	55*190*6	10	19.0*3.0*5.7	360	31.5*21.0*25.0	6.7	0.0162
CRI632-BP5	5	55*190*6	10	19.0*3.0*5.7	360	31.5*21.0*25.0	6.7	0.0162
CRI620-BP5	5	55*190*6	10	19.0*3.0*5.7	360	31.5*21.0*25.0	5.4	0.0162
CRI220-BP5	5	55*190*6	10	19.0*3.0*5.7	360	31.5*21.0*25.0	4.5	0.0162
Alkaline 1.5V								
LR60-BP2	2	56*92*5	24	9.5*7.3*5.8	960	37.5*21.0*26.0	4.2	0.0205
LR59-BP2	2	56*92*5	24	9.5*7.3*5.8	960	37.5*21.0*26.0	4.5	0.0205
LR41-BP2	2	56*92*5	24	9.5*7.3*5.8	960	37.5*21.0*26.0	4.8	0.0205
LR66-BP2	2	56*92*5	24	9.5*7.3*5.8	960	37.5*21.0*26.0	4.3	0.0205
LR48-BP2	2	56*92*7	24	9.5*8.7*5.8	960	48.5*21.0*26.0	5.6	0.0265
LR69-BP2	2	56*92*5	24	9.5*7.3*5.8	960	37.5*21.0*26.0	4.7	0.0205
LR57-BP2	2	56*92*5	24	9.5*7.3*5.8	960	37.5*21.0*26.0	4.9	0.0205
LR55-BP2	2	56*92*5	24	9.5*7.3*5.8	960	48.5*21.0*26.0	5.3	0.0265
LR45-BP2	2	56*92*5	24	9.5*7.3*5.8	960	37.5*21.0*26.0	5.3	0.0205
LR54-BP2	2	56*92*5	24	9.5*7.3*5.8	960	48.5*21.0*26.0	5.9	0.0265
LR58-BP2	2	56*92*5	24	9.5*7.3*5.8	960	37.5*21.0*26.0	4.4	0.0205
LR43-BP2	2	56*92*7	24	9.5*8.7*5.8	960	48.5*21.0*26.0	6.9	0.0265
LR44-BP2	2	56*92*7	24	9.5*8.7*5.8	960	48.5*21.0*26.0	7.7	0.0265
Alkaline 12V								
A23-BP1	1	56*92*12	24	8.2*15.0*9.7	480	31.5*31.0*21.5	6.6	0.0210
A27-BP1	1	56*92*12	24	6.6*15.0*9.7	480	31.5*31.0*21.5	5.0	0.0210
Hearing Aid Zinc Air 1.45V								
A13-BP6	6	48*90*6.5	10	9.2*4.2*5.0	200	26*19.2*9.8	1.7	0.0049
A10-BP6	6	48*90*4.5	10	9.2*3.2*5.0	200	26*19.2*7.8	1	0.0039
A675-BP6	6	48*90*6.5	10	9.2*4.2*5.0	200	26*19.2*9.8	2.9	0.0049
A312-BP6	6	48*90*4.5	10	9.2*3.2*5.0	200	26*19.2*7.8	1.3	0.0039
Ni-MH Rechargeable Battery								
NH-D2500ARBP2	2	90*117*34	12	22.5*16.0*9.7	48	34.0*21.5*24.5	9.1	0.0179
NH-C2500ARBP2	2	90*117*27	12	18.0*14.0*9.7	48	30.0*21.5*20.0	7.9	0.0129
NH-AA2400ARBP4-Max	4	90*117*15	24	19.5*13.5*9.7	48	28.5*21.0*11.7	6.7	0.0070
NH-AA2400ARBP2-Max	2	90*117*15	24	19.5*13.5*9.7	96	28.5*21.0*21.5	6.8	0.0129
NH-AA2100ARBP4	4	90*117*15	24	19.5*13.5*9.7	48	29.0*21.0*12.2	6.4	0.0070
NH-AA2100ARBP2	2	90*117*15	24	19.5*13.5*9.7	96	28.5*21.0*21.5	6.7	0.0129
NH-AA1000ARBP4	4	90*117*15	24	19.5*13.5*9.7	48	29.0*21.0*12.2	4.4	0.0070
NH-AA1000ARBP2	2	90*117*15	24	19.5*13.5*9.7	96	28.5*21.0*21.5	5.1	0.0129
NH-AAA1000ARBP4-MAX	4	90*117*11	24	15.0*12.5*9.7	96	31.5*26.5*11.7	5.6	0.0098
NH-AAA1000ARBP2-MAX	2	90*117*11	24	15.0*12.5*9.7	192	31.5*26.5*21.5	7.1	0.0179
NH-AAA800ARBP4	4	90*117*11	24	15.0*12.5*9.7	96	31.5*26.5*11.7	5	0.0098
NH-AAA800ARBP2	2	90*117*11	24	15.0*12.5*9.7	192	31.5*26.5*21.5	6.7	0.0179
NH-9V200ARBP1	1	90*117*18	24	24.5*13.0*9.7	96	28.0*25.0*21.5	5.1	0.0153
NH-AA600ARBP1	1	64*117*15	/	/	30	25.5*13.4*8.4	0.93	0.0029
NH-AAA350ARBP1	1	64*117*11	/	/	30	19.7*12.5*8.4	0.58	0.0021
Battery Charger								
WBC-1043MC-CBH	/	95*54*243	18	43.5*29.5*19	36	45*31*40	12.4	0.0558
WBC-1046-DB	/	95*177*53	16	50.5*23.5*9.5	32	52*25*21	4.7	0.0273
WBC-1056T-CBH	/	57*24*92	48	32*19.5*12.8	192	40.5*34*28.5	11.5	0.0392
WBC-0812T-BP	/	/	/	/	/	/	/	/
WBC-1057M-DB	/	90*172*54	16	41*22.5*10.5	32	42.2*23.8*22	4.5	0.0221



Camelion Battery Co., Ltd., a Westinghouse Electric Corporation licensee
Unit 705, Cyber Times Tower A, Tianan Cyber Park, Futian, Shenzhen, Guangdong, China
Email: info@westinghousebattery.com
www.westinghousebattery.com

Ⓜ and WESTINGHOUSE are trademarks of Westinghouse Electric Corporation. Used under license by Camelion Battery Co., Ltd. All Rights Reserved.

W-2025CA